



23


**FREDDO
COOLING**

Refrigerazione
Refrigerators



www.micromic.com

Refrigerazione - Refrigerators

		
WB301 268698 - 050481 - 055099 - 2285121 - 931330273 Bosch ITA Kit cerniere frigo adattabile 2 4 piastre ENG Refrigerator hinges kit adaptable 2 4 plates	WB301C 00268699 - 5554870 Bosch ITA Cerniera frigo kit 3pz 6 piastre adattabile ENG Refrigerator hinges kit adaptable 3pcs 6 plates also	WB303 481147 Bosch ITA Kit cerniere frigo adattabile ENG Refrigerator door hinges adaptable
		
WB310A 2211202045 2211202029 Electrolux ITA Cerniera frigo superiore dx - inferiore sx adattabile ENG Upper right hinge - lower left adaptable	WB310B 2211201047 Electrolux ITA Cerniera frigo superiore sx - inferiore dx adattabile ENG Upper left - lower right hinge, adaptable	WB310 4055504197 - 2211202045/2211201047 Electrolux ITA Cerniere frigo kit 2pz adattabile ENG Hinges Kit 2pcs adaptable
		
WM550 00169301 Bosch ITA Boccia cerniera porta frigorifero adattabile ENG Fridge door hinge bushing, adaptable		

Refrigerazione - Refrigerators

		
WL540 369542 Bosch ITA Maniglie frigorifero adattabile bosch da 317mm confezione 2 pz con kit viti adattabile ENG Fridge handle adaptable bosch 317mm pack 2 pcs. with screw kit	WL540G 369551 Bosch ITA Coppia maniglie silver per frigo adattabile ENG Silver handles set for fridge adaptable	WL544 480720 Bosch ITA Maniglia per frigo interasse 175mm adattabile ENG Handle for fridge centre distance 175mm adaptable
		
WL511 9590178 - 9590124 - 959017800 Liebherr ITA Kit supporti maniglia adattabile ENG Handle support kit adaptable	WL561 743260000 - 742690900 Liebherr ITA Maniglia frigo bianca 210mm interasse 155mm adattabile ENG Adaptable white colour fridge handle, 210mm (155mm c.t.c.)	WL561A 909603600 Liebherr ITA Maniglia frigo bianca set 2pz 210mm interasse 155mm adattabile ENG 2pcs set adaptable white colour fridge handle, 210mm (155mm c.t.c.)
		
WL562 743067000 Liebherr ITA Maniglia frigo bianca 310mm interasse 245mm adattabile ENG Adaptable white colour fridge handle, 310mm (245mm c.t.c.)	WL562A 908674200 Liebherr ITA Maniglia frigo bianca set 2pz 310mm interasse 245mm adattabile ENG 2pcs set adaptable white colour fridge handle, 310mm (245mm c.t.c.)	WL541 7422279 Liebherr ITA Maniglia inferiore frigorifero adattabile ENG Fridge lower handle, adaptable

Refrigerazione - Refrigerators



WL538	WL539	WL501
C00857152	C00857155	Universale
Whirlpool	Whirlpool	
ITA Maniglia frigo ad arco bianca adattabile	ITA Maniglia frigo ad arco bianca adattabile	ITA Maniglia frigo di colore bianco in confezioni interasse da 113 a 166 mm in confezione da 10 pz adattabile
ENG Arch fridge handle white adaptable	ENG Arch fridge handle white adaptable	ENG White fridge handle in packages centre distance between 113 a 166 mm in packages of 10 pcs adaptable



WL505	WL505M	WL507
Universale	Universale	Universale
ITA Maniglia per frigo con interasse da 120mm a 180mm adattabile	ITA Maniglia per frigo di colore marrone con interasse da 120mm a 180mm adattabile	ITA Maniglia per frigo curva di colore bianco interasse da 105 a 160 mm per D09 adattabile
ENG Fridge handle with centre distance from 120mm to 180mm adaptable	ENG Brown fridge handle with centre distance from 120mm to 180mm adaptable	ENG Curved fridge handle white centre distance from 105 to 160 mm for D09 adaptable



WL507M
Universale
ITA Maniglia per frigo curva di colore marrone interasse da 105 a 160 mm adattabile
ENG Curved fridge handle black centre distance from 113 to 160 mm for D09 adaptable


Refrigerazione - Refrigerators



WE520	WE521	WE522
Universale	Universale	Universale
ITA Termometro frigo con gancio misurazione da - 40 ° a + 50° confezionato in blister adattabile	ITA Termometro frigo tondo con gancio misurazione da - 30° a + 50° confezionato in blister adattabile	ITA Termometro frigo con gancio misurazione da - 40° a + 40° confezionato in blister adattabile
ENG Fridge thermostat with hook measurement from - 40 ° to + 50° in blister pack adaptable	ENG Fridge thermostat with hook measurement from - 30° to + 50° in blister pack adaptable	ENG Fridge thermostat with hook measurement from - 40° to + 40° in blister pack adaptable



WE523	WE524	WE524N
Universale	Universale	Universale
ITA Termometro frigo e ambienti con supporto e magnete misurazione da - 20° a + 50° confezionato in blister adattabile	ITA Termometro digitale misurazione da - 50° a + 70° di colore bianco da incasso misure cava 46x26 mm - sonda con cavetto 100cm adattabile	ITA Termometro digitale misurazione da - 50° a + 70° di colore nero da incasso misure cava 46x26 mm - sonda con cavetto 100cm adattabile
ENG Fridge and ambient thermostat with magnetic support from - 20° to + 50° in blister pack adaptable	ENG Digital thermostat measurement from - 50° to + 70° white recessed Type seat size 46x26 mm adaptable	ENG Digital thermostat measurement from - 50° to + 70° black recessed Type seat size 46x26 mm adaptable



WY301	WY302	WY303
Universale	Universale	Universale
ITA Griglia frigo e congelatori plastificata bianca con polimeri atossici per alimenti misura "S" 23x23 cm estensibile fino a 40x23 cm con vite a scomparsa e chiavetta di montaggio adattabile	ITA Griglia frigo e congelatori plastificata bianca con polimeri atossici per alimenti misura "M" 38x32 cm estensibile fino a 64x32 cm con vite a scomparsa e chiavetta di montaggio adattabile	ITA Griglia frigo e congelatori plastificata bianca con polimeri atossici per alimenti misura "L" 47x35 cm estensibile fino a 75x35 cm con vite a scomparsa e chiavetta di montaggio adattabile
ENG Fridge and freezer grille plastic WHITE with non-toxic polymers for foodstuff size "S" 23x23 cm extendible up to 40x23 cm with recessed screw and mounting key adaptable	ENG Fridge and freezer grille plastic WHITE with non-toxic polymers for foodstuff size "M" 38x32 cm extendible up to 64x32 cm with recessed screw and mounting key adaptable	ENG Fridge and freezer grille plastic WHITE with non-toxic polymers for foodstuff size "L" 47x35 cm extendible up to 75x35 cm with recessed screw and mounting key adaptable

Refrigerazione - Refrigerators



WL515	WL514	WL519
4055372405 - 50217888002 - 50225931000 - 2230349041 Zanussi	9086322 - 1878720 - 015730361 Liebherr - Miele Smeg	C00312150 - 481231019131 Whirlpool
ITA Guida scorrimento porta frigo adattabile	ITA Kit 2pz guida scorrimento porta frigo da incasso universale e adattabile	ITA Guida scorrimento porta frigo kit 4pz adattabile
ENG Fridge door sliding guide, adaptable	ENG Kit 2pcs sliding caliper fridge door universal and adaptable	ENG Fridge door sliding guide kit 4pcs, adaptable



WM540	WG500M	WG500
00791396 Bosch	Universale	Universale
ITA Supporto per balconcino portabottiglie frigorifero adattabile	ITA Guarnizione porta frigo universale con magneti 2 angolari 1300x700mm con 2 giunti sfuse in scatola master 15 coppie	ITA Guarnizione con magneti porta frigo universale 2 pz angolari 1300x700mm con 2 giunti in scatola singola
ENG Support for balcony bottle holder refrigerator adaptable	ENG Universal fridge door gasket with magnet 2 corners 1300x700mm with 2 joints in master box 15 pairs	ENG Universal refrigerator door gasket with magnet 2 corner pieces 1300x700 mm with 2 joints in single box



WR200	WR201
WF091 - 9096342 - 909634200 - 9881116 - 98811600 - 10806820 Liebherr	909698900 - 9882429 - 9882460 Liebherr
ITA Filtro frigo con carbone attivo kit 2 pz adattabile	ITA Filtro frigorifero con carbone attivo kit 2pz adattabile
ENG Filter for fridge with active carbon kit 2 pcs adaptable Liebherr adaptable	ENG Refrigerator filter with activated carbon kit 2pcs adaptable adaptable

Refrigerazione - Refrigerators



WE613	WE614	WE614.2
AS3 W3 VT91 Varie Marche	A131000WA Varie Marche	AS4.2 W4.2 VT93 Varie Marche
ITA Termostato frigo atea a03.1000 kit as3 w3 - tipo ranco vt91 2 contatti capillare 1200mm w +3/-13 : c +3/-26 adattabile	ITA Termostato frigo atea a13.1000 kit as4 w4 - tipo ranco vt9 doppia porta 3 contatti capillare 1200mm w +3/-13 : c +3/-26 adattabile	ITA Termostato frigo atea a13.1002 kit as4.2 w4.2 - tipo ranco vt93 doppia porta 3 contatti capillare 2000mm w +4,5/-13 : c +4,5/-26 adattabile
ENG fridge thermostat ATEA A03.1000 kit AS3 W3 - Ranco type VT91 2 Contacts Capillary 1200mm W +3/-13 : C +3/-26 adaptable	ENG ATEA A13.1000 fridge thermostat AS4 W4 kit - Ranco VT9 type Double door 3 Capillary contacts 1200mm W + / -13: C -26 adaptable	ENG ATEA A13.1002 fridge thermostat kit AS4.2 W4.2 - Ranco VT93 type Double door 3 Capillary contacts 2000mm W + 4.5 / -13: C -26 adaptable



WE616	WE611	WE617
AS6 W6 V55 Varie Marche	AS1 W1 VC1 Varie Marche	AS7 W7 VG7 FR4888 481981728921 27FR007 Varie Marche
ITA Termostato frigo atea a04.1000 kit as6 w6 - tipo ranco vs5 3 contatti capillare 2000mm congelatore con allarme w -12/-18,5 : c -25/-32 adattabile	ITA Termostato frigo atea a01.1001 kit as1 w1 - tipo ranco vc1 - 1 porta 2 contatti, capillare 1200mm w+1,5/-6 : c-14/-22°C w1 adattabile	ITA Termostato frigo atea a01.1002 kit as7 w7 - tipo ranco vg7 banco alimentare 2 contatti capillare 2000mm w +11/+5 : c +3/-5 adattabile
ENG ATEA fridge thermostat A04.1000 AS6 W6 kit - type Ranco V55 3 Capillary contacts 2000mm Freezer with alarm W -12 / -18.5: C -25 -32 adaptable	ENG ATEA A01.1001 fridge thermostat AS1 W1 kit - Ranco VC1 type 1 Door 2 Contacts, Capillary 1200mm W +1.5 / -6: C-14 -22 ° C adaptable	ENG ATEA A01.1002 fridge thermostat AS7 W7 kit - Ranco VG7 type Food bank 2 Capillary Contacts 2000mm W +11 / 5: C 3 -5 adaptable



WE621	WE622	WE623
C00041082 Varie Marche - Indesit - Whirlpool	C00056781 Varie Marche - Indesit - Whirlpool	526009700 - 651016631 - 818730468 - 073516 - 49001120 Varie Marche - Ardo - Merloni - Smeg
ITA Termostato frigo atea a13.0218 adattabile doppia porta 3 contatti capillare 1000mm w -3,5/-8,5 : c +3,5/-24	ITA Termostato frigo atea a13.0175 adattabile doppia porta 3 contatti capillare 700mm w -8,5 : c -24	ITA Termostato frigo atea a13.0307 adattabile doppia porta 3 contatti capillare 800mm w -8,5 : c -24
ENG ATEA A13.0218 fridge thermostat adaptable Double door 3 Capillary contacts 1000mm W -3.5 / -8.5: C + 3.5 -24	ENG ATEA fridge thermostat A13.0175 adaptable Double door 3 Capillary Contacts 700mm W -8.5: C -24	ENG ATEA A13.0307 fridge thermostat adaptable Double door 3 Capillary Contacts 800mm W -8.5: C -24

Refrigerazione - Refrigerators



WE624
481227128481 - 818730568 53970438012 704 A130447
484000008686 C00500719
Varie Marche - Whirlpool
ITA Termostato frigo atea a13.0057 adattabile
doppia porta 3 contatti capillare 1000mm
w -13 : c -26
ENG ATEA fridge thermostat A13.0057 adap-
table Double door 3 Capillary contacts
1000mm W -13: C -26



WE625
00227364 50114400 481228238188 481927129054
Varie Marche - Whirlpool - Smeg - Ikea
ITA Termostato frigo atea a13.0447 adattabile
doppia porta 3 contatti capillare 1000mm
ENG ATEA fridge thermostat A13.0447 adap-
table Double door 3 Capillary contacts
1000mm



WE626
481981728757 481927128296 C3-0163
Varie Marche - Whirlpool - Ikea
ITA Termostato frigo atea a13.0058 adattabile
doppia porta 3 contatti capillare 1000mm
w -11 : c -24
ENG ATEA A13.0058 fridge thermostat adap-
table Double door 3 Capillary contacts
1000mm W -11: C -24



WE627
Varie Marche
ITA Termostato vetrine atea a01.0277 2
contatti capillare 1500mm w +12 : c -10/-1
adattabile
ENG ATEA showcase thermostat A01.0277 2
Capillary contacts 1500mm W +12: C -10 /
-1 adaptable



WE628
Varie Marche
ITA Termostato frigo atea a01.1001 singola
porta 2 contatti capillare 1200mm w +1,5/-
6 : c -14/-22 adattabile
ENG ATEA fridge thermostat A01.1001 Single
door 2 Capillary contacts 1200mm W + 1.5
/-6: C -14 / -22 adaptable



WE629
A13.0024 - 92206889
Varie Marche
ITA Termostato frigo 2 porte atea s13.0024 tipo ranco
k59-l1136 massimo +3/-28°C minimo +3/-11°C capil-
lare 900mm a13. adattabile
ENG Fridge thermostat 2 doors ATEA S13.0024 Ranco
type K59-L1136 - Danfoss 077B6273 max +3/-28°C
min +3/-11°C capillary 900mm adaptable



WE511
Varie Marche
ITA Termostato frigo doppia porta 3 contatti
adattabile ranco k59 - l 1260
ENG Thermostat fridge double door 3 contacts
adaptable Ranco K59 - L 1260



WE502
Universale
ITA Termostato per celle e banchi frigo da -
30° a +30° capillare 1,5 metri con bulbo
adattabile prodigy
ENG Thermostats for cells and fridge displays
-30° a +30° capillary 1.5 mtrs with bulb
adaptable Prodigy adaptable



WX001
Universale
ITA Molla fissaggio bulbo termostato frigo
adattabile
ENG Fixing spring fridge thermostat bulb
adaptable

Refrigerazione - Refrigerators



WF456
Universale
ITA Relè per frigo hp da 1/2 a 1/12 1 faston da
6.3 mm di colore nero adattabile
ENG Relay for fridge Hp from 1/2 to 1/12 1 faston
6.3 mm black adaptable



WF461
Universale
ITA Relè hp da 1/2 a 1/12 4 faston da 6,3 mm
con klixon adattabile
ENG Relay Hp from 1/4 to 1/12 2 faston 6.3 mm
with klixon adaptable



WF462
Universale
ITA Relè con salvamotore 220v hp 1/10 > 1/3
adattabile danfoss 103n0021
ENG Relay with motor main switch Hp 1/10 >
1/33 adaptable Danfoss 103n0021



WF466
Universale
ITA Relè con salvamotore adattabile danfoss
103n0018 hp da 1/4
ENG Relay with motor main switch 220V Hp 1/4
adaptable Danfoss 103n0018



WF467
Universale
ITA Kit relè tipo necchi 220v mini es 3 adat-
tabile
ENG Relay type kit Necchi 220V MINI ES 3
adaptable



WF468
Universale
ITA Termoprotettore 1 faston da 6,3mm
adattabile
ENG Thermoprotector 1 faston 6.3mm adap-
table



WQ008
BPV31
Supco
ITA Rubinetto perforatore BPV31 1/4, 5/16, 3/8
ENG BPV31 perforator tap 1/4 5/16 3/8



WQ006
Universale
ITA Valvola compressore con tubetto di Ø
6mm e lunghezza di 110mm tappo per
estrazione valvola adattabile
ENG Compression valve with tube Ø 6 mm
and length 110 mm valve extraction cap
adaptable

Refrigerazione - Refrigerators



WH071		WH072		WH073	
Universale		Universale		Universale	
ITA	Ventilatore frigo polivalente fmi 220v 5w adattabile	ITA	Ventilatore frigo polivalente fmi 220v 10w adattabile	ITA	Ventilatore frigo polivalente 220v 16w adattabile
ENG	Fridge fan polivalent 220V 5W adaptable	ENG	Fridge fan polivalent 220V 10W adaptable	ENG	Fridge fan polivalent 220V 16W adaptable



WH074		WH075		WH076	
Universale		Universale		Universale	
ITA	Ventilatore frigo polivalente 220v 25w adattabile	ITA	Ventilatore frigo polivalente 220v 34w adattabile	ITA	Ventilatore frigo polivalente 220v 18w adattabile
ENG	Fridge fan polivalent 220V 25W adaptable	ENG	Fridge fan polivalent 220V 34W adaptable	ENG	Versatile fridge fan 220V 18W adaptable



H050		H051		H055	
Universale		Universale		Universale	
ITA	Ventilatore di raffreddamento 12v dc 4000rpm misure 60x60x25mm adattabile	ITA	Ventilatore di raffreddamento 12vdc 5500rpm misure 60x60x25mm adattabile	ITA	Ventilatore di raffreddamento ebm-papst 230v-50hz 18w 120ma misure 119x119x38mm adattabile
ENG	Cooling fan 12V DC 4000RPM measures 60x60x25mm adaptable	ENG	Cooling fan 12V DC 4000RPM measures 60x60x25mm adaptable	ENG	Cooling fan EBM-PAPST 230V-50Hz 18W 120mA measures 119x119x38mm adaptable

Refrigerazione - Refrigerators



WH064		WH065		WH067	
Universale		Universale		Universale	
ITA	Ventilatore tangenziale 22w 220-240v dx larghezza 185mm ingombro totale 250mm	ITA	Ventilatore tangenziale 30W 230v sx larghezza 185mm ingombro totale 250mm	ITA	Ventilatore tangenziale 35W 60x240/20 lato destro
ENG	Tangential fan 22W 220-240V RH width 185mm total dimensions 250mm	ENG	Tangential fan 30W 230V LH width 185mm total dimensions 250mm	ENG	Right tangential fan 60x240/20 35W



WH068	
Universale	
ITA	Ventilatore tangenziale 34W 60x270/20 lato destro
ENG	Right tangential fan 60x270/20 34W