



32

**VARIE
APPLICAZIONI
VARIOUS
APPLICATIONS**

Pompe
Pump



www.micromic.com

Pompe - Pumps



Q072	Q223	Q195
Ulka	Ulka	Ulka
ITA Pompa Ulka EK 220v - 50hz - 54w 16bar - 1/1 on-off - portata 700cc min	ITA Pompa Ulka EK2 230v - 50hz - 56w - 15.5bar - 1/1 on-off - portata 650cc min	ITA Pompa Ulka EP4R 230/240v - 50hz - 42w - 9 bar - on/off 1/1 min - portata 350 cc min
ENG Ulka Pump EK 220V - 50Hz - 54W 16bar - 1/1 on/off - flow 700cc min	ENG Ulka Pump EK2 230V - 50Hz - 56W - 15.5bar - 1/1 on/off - flow 650cc min	ENG Ulka Pump EP4R 230/240V - 50Hz - 42W - 9 bar - on/off 1/1 min capacity 350 cc min



Q217	Q219	Q232
10060036	10089027	10079944
Ulka	Ulka	Ulka
ITA Pompa Ulka EP4 230/240v - 50hz 48w 20bar 2/1 on-off portata 450cc min	ITA Pompa Ulka EX4 230/240v - 50hz 48w 20bar 2/1 on-off portata 450cc min	ITA Pompa Ulka EX4CW 230v - 50hz 48w 20bar 2/1 on-off portata 450cc min bobina ignifuga
ENG Ulka Pump EP4 230/240V - 50Hz 48W 20bar 2/1 on-off capacity 450cc min	ENG Ulka Pump EX4 230/240V - 50Hz 48W 20bar 2/1 on-off capacity 450cc min	ENG Ulka Pump EX4GW 230V - 50Hz 48W 20bar 2/1 on/off capacity 450cc min fla-meproof coil



Q072A	Q233S	Q245
5132106900 - 481236018581	5113211311 - 996530007753	421941305991
Ulka	Ulka	Ulka
ITA Pompa Ulka EP5 230/240v - 50hz 48w 15bar 2/1 on-off portata 650cc min	ITA Pompa Ulka EP5/S GW 230V-50hz 48w 15bar 2/1 on/off attacco svasato	ITA Pompa Ulka EP5FMGW 48W 230V 50Hz 15Bar attacco Ø1/8 svasato
ENG Ulka Pump EP5 230/240V - 50Hz 48W 15bar 2/1 on/off flow 650cc	ENG Ulka Pump EP5/S GW 230V - 50Hz 48W 15bar 2/1 on/off flared connector for automatic	ENG Ulka Pump EP5FMGW 48W 230V 50Hz 15Bar connection Ø1/8 flared


Pompe - Pumps



Q072B	Q072BS	Q233
098760red - 27003316 - 0110004041 - 10065957 - 4101370		10070223 - 10060486 - 257112 - 5113211311
Ulka	Ulka	Ulka
ITA Pompa Ulka EX5 230V - 50Hz 48w 15bar 2/1 on-off portata 650cc min	ITA Pompa Ulka EX5 48W 230V 50Hz 15Bar attacco Ø1/8 svasato	ITA Pompa Ulka EP5GW 230v - 50hz 48w 15bar 2/1 on-off portata 650cc min bobina ignifuga
ENG Ulka Pump EX5 230V - 50Hz 48W 15bar 2/1 on/off flow 650cc min	ENG Ulka Pump EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared	ENG Ulka Pump EP5GW 230V - 50Hz 48W 15bar 2/1 on/off flow 650cc min flameproof coil



Q225	Q224	Q235
0V0465 - 098760 - 10065957 - 10063322 - 27003316 - 0110004041		
Ulka	Ulka	Ulka
ITA Pompa Ulka EX5GW 230v - 50hz 48w 15bar 2/1 on-off portata 650cc min bobina ignifuga	ITA Pompa Ulka EAP5 64W 220V 60Hz 15Bar attacco Ø1/8	ITA Pompa Ulka EAX5 220v - 60hz - 64w - 15bar - on/off 1/2 min - portata 650cc min
ENG Ulka Pump EX5GW 230V - 50Hz 48W 15bar 2/1 on/off flow 650cc min flameproof coil	ENG Ulka Pump EAP5 64W 220V 60Hz 15Bar connection Ø1/8	ENG Ulka Pump EAX5 220V - 60Hz - 64W - 15bar - on/off 1/2 - flow 650cc min



Q303	Q307	Q315
59394 - 556806 - 5113212411 - SR.000.054.001 - SR000054001	5113211631	72113 - 0089577 - 0089668
A.R.S.	A.R.S.	Jura
ITA Pompa A.R.S. CP3A/ST 230v 50hz - 65w - 15bar - 1/1 on-off	ITA Pompa A.R.S. CP4SP 230-240v 50hz - 70w - 14bar - 230V 1 min on 1/5 min off - 240v 1 min on 2 min off	ITA Pompa Sysko sap hp4 v03 220v 50/60hz 50w 230v 50/60hz 55w 240v 50hz 66w attacco rapido - Ø 6 mm temperatura acqua max 35°c terminale connettore 6,3x0,8 mm
ENG A.R.S. Pump CP3A/ST 230V 50Hz - 65W - 15bar - 1/1 on-off	ENG A.R.S. Pump CP4SP 230-240V 50Hz - 70W - 14bar - 230V 1 min ON 1/5 min OFF - 240V 1 min ON 2 min OFF	ENG Sysko pump SAP HP4 V03 220V 50 / 60Hz 50W 230V 50 / 60Hz 55W 240V 50Hz 66w quick coupling - Ø 6 mm water temperature max 35 ° C connector terminal 6.3x0.8 mm


Pompe - Pumps



Q316	Q116	Q100
6765022 - 10769421 - 100182 - 10769420 - 74067 - 73679	11012179	
Jura	Ulka	Ulka
ITA Pompa Sysko Spx H100 220/230V 50/60Hz 55W 50Hz 66W Temperatura acqua max 35°	ITA Pompa Ulka EP7 230v - 50hz 48w 7bar 2/1 on-off portata 1000cc min	ITA Pompa Ulka EP77 230v - 50hz - 28w - 4bar - on/off 100% - portata 900cc min
ENG Sysko pump SPX H100 220/230V 50/60Hz 55W 50Hz 66W Max water temperature 35°	ENG Ulka Pump EP7 230V - 50Hz 48W 7bar 2/1 on-off flow 1000cc min	ENG Ulka Pump EP77 230V - 50Hz - 28W - 4bar - on/off 100% - capacity 900cc min



Q221	Q237	Q115
	110004021	099893
Ulka	Ulka	Ulka
ITA Pompa Ulka EX7 230v - 50hz - 48w - 7bar - 2/1 on-off - portata 1000cc min	ITA Pompa Ulka EX7GW - 230v 50hz 48w 7bar 2/1 on/off portata 1000cc min	ITA Pompa Ulka EP8 230/240v - 50hz 26w 2.5bar 100% on-off portata 1200cc min
ENG Ulka Pump EX7 230V - 50Hz - 48W - 7bar - 2/1 on-off - flow 1000cc min	ENG Ulka Pump EX7GW - 230V 50Hz 48W 7bar 2/1 on/off flow 1000cc min loading AirBreak	ENG Ulka Pump EP8 230/240V - 50Hz 26W 2.5bar 100% on-off flow 1200cc min



Q240
099893
Ulka
ITA Pompa Ulka EP8GW 230/240v - 50hz 26w 2.5bar 100% on-off portata 1200cc min bobina ignifuga
ENG Ulka Pump EP8GW 230/240V - 50Hz 26W 2.5bar 100% on-off flow 1200cc min flameproof coil

Pompe - Pumps



Q226	Q220	Q227
Ulka	Ulka	Ulka
ITA Pompa Ulka EAP5 120v - 60hz - 52w - 20 bar - 1/1,5 on/off - portata 450cc min	ITA Pompa Ulka EAX5 120v - 60hz - 52w - 20bar - 1/1,5 on/off - portata 450cc min	ITA Pompa Ulka EFP5 52W 120V 60Hz 15Bar Ø1/8
ENG Ulka Pump EAP5 120V - 60Hz - 52W - 20bar - 1/1,5 on/off - capacity 450cc min	ENG Ulka Pump EAX5 120V - 60Hz - 52W - 20bar - 1/1,5 on/off - capacity 450cc min	ENG Ulka Pump EFP5 52W 120V 60Hz 15Bar Ø1/8



Q227B	Q072B-S	Q215
Ulka	Ulka	Ulka
ITA Pompa Ulka EFX5 52W 120V 60Hz 15Bar attacco Ø1/8 in ottone	ITA Pompa Ulka EX5 48W 230V 50Hz 15Bar attacco Ø1/8 svasato	ITA Pompa Ulka EP8 120v - 60hz - 29w - 2,5bar - 100% on/off - portata 1200cc
ENG Ulka Pump EFX5 52W 120V 60Hz 15Bar connection Ø1/8" in brass	ENG Pump Ulka EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared	ENG Ulka Pump EP8 120V - 60Hz - 29W - 2.5bar - 100% on/off - capacity 1200cc



Q236	Q099	Q228
	9070.035.00P	27003326 - 9070.035.00P
Ulka	Ulka	Ulka
ITA Pompa Ulka EX4 24v - 50/60hz - 48w - 20bar - on/off 2/1 min - portata 450cc min	ITA Pompa Ulka EP5 24v - 50/60hz 48w 15bar 2/1 on-off portata 650cc min	ITA Pompa Ulka EX5 24v - 50/60hz 48w 15bar 2/1 on-off portata 650cc min
ENG Ulka Pump EX4 24V - 60Hz - 48W - 20bar - on/off 2/1 - flow 450cc min	ENG Ulka Pump EP5 24V - 50/60Hz 48W 15bar 2/1 on/off flow 650cc min	ENG Ulka Pump EX5 24V - 50/60Hz 48W 15bar 2/1 on-off flow 650cc min

Pompe - Pumps



Q241	Q239	Q304
Ulka	Ulka	Ceme
ITA Pompa Ulka EX5GW 24v - 50/60hz - 48w - 15bar - 2/1 on-off - portata 650cc min bobina ignifuga	ITA Pompa Ulka EX7 24v - 50/60hz - 48w - 7bar - 2/1 on/off - 1000cc min	ITA Pompa ceme e507 ptg-gl/8f 24v 50hz 47w 5,9 bar 1667 cc/min
ENG Ulka Pump EX5GW 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - flow 650cc min flame-proof coil	ENG Ulka Pump EX7 24V - 50/60Hz - 48W - 7bar - 2/1 on/off - 1000cc min	ENG Ceme Pump E507 PTC-G1/8F 24V 50Hz - 47W - 5.9bar - 1667 cc/min




Q302	Q305	N223
C855117	27004016-01 - 0110004028	149185850 - 801022 - 8.01.022
Varie Marche	Varie Marche	Universale
ITA Pompa immersione comet 12v dc- 0,5 bar10 litri minuto cavetto 1 metro	ITA Pompa a immersione comet 24v - 10litri minuto, cavetto 1 metro	ITA Kit 2 supporti in gomma angolari per pompe
ENG Comet submersible Pump 12V DC - 0,5 bar 10 Litres/min, 1 metre cable	ENG Comet submersible Pump 24V - 10Litres/ min, 1 metre cable	ENG Angular rubber support kit 2pcs for pumps



N222	E201	N195
Varie Marche	Varie Marche	Varie Marche
ITA Kit 2 supporti in gomma dritti per pompe adattabile	ITA Termoprotettore 110°C per pompe a vibrazione	ITA Raccordo aspirazione angolare porta-gomma per pompe ulka adattabile
ENG Linear rubber support kit 2pcs for pumps adaptable	ENG Thermoprotector 110° for vibration pumps	ENG Tube holder fitting for Ulka pump adaptable

Pompe - Pumps



Q129	Q016
Ulka	Varie Marche
ITA Micropompa nme5 230v - 50hz - 16w - on/off 100% - 1bar - portata 20>30cc min	ITA Micropompa vapore ceme 220v - 16w di Ø ingresso 5mm e uscita 7mm funzionante sotto diodo portata 40 - 50 cc elwatt
ENG Micropump NME5 230V - 50Hz - 16W - on/off 100% - 1bar - capacity 20>30cc min	ENG Steam micropump CEME 220V - 16W intake and output diameter 7mm operating under diode capacity 40-50 cc Elwatt



Q135	Q138	Q134
Ulka	Ulka	Ulka
ITA Pompa Ulka nme4 230/240v - 50hz - 16w 2,7bar - on/off 100% - portata 53cc min ingresso Ø 5mm uscita Ø 7mm	ITA Pompa nme3s 230/240v - 50hz - 16w 3,5 bar - on/off 100% - portata 125cc min ingresso Ø 5mm uscita Ø 7mm	ITA Pompa nme3 230/240v - 50hz 16w 2,7bar on/off 100%- portata 125cc min ingresso Ø 5mm uscita 7mm
ENG Ulka Pump NME4 230/240V - 50Hz - 16W 2.7bar - on/off 100% - capacity 53cc min Intake Ø 5mm Outlet Ø 7mm	ENG Pump NME3S 230/240V - 50Hz - 16W 3.5bar - on/off 100% - capacity 125cc min Intake Ø 5mm Outlet Ø 7mm	ENG Pump NME3 230/240V - 50Hz 16W 2.7bar on/off 100% capacity 125cc min Intake Ø 5mm Outlet 7mm



Q128	Q136	Q137
Ulka	Ulka	Ulka
ITA Pompa nme2 230/240v - 50hz - 16w 2,7bar - on/off 100% - portata 175cc min ingresso Ø 5mm uscita Ø 7mm	ITA Pompa nme1s 230/240v - 50hz - 16w 3,5bar - on/off 100% - portata 200cc min ingresso Ø 5mm uscita filetto m10	ITA Pompa nme1s 230/240v - 50hz - 16w 3,5bar - on/off 100% - portata 200cc min ingresso Ø 5mm uscita Ø 5mm
ENG Pump NME2 230/240V - 50Hz - 16W 2.7bar - on/off 100% - capacity 175cc min Intake Ø 5mm Outlet Ø 7mm	ENG Pump NME1S 230/240V - 50Hz - 16W 3.5 bar - on/off 100% - capacity 200cc min Intake Ø 5mm Outlet Ø 7mm	ENG Pump NME1S 230/240V - 50Hz - 16W 3.5bar - on/off 100% - capacity 200cc min Intake Ø 5mm Outlet Ø 5mm

Pompe - Pumps



Q133	Q131	Q132
Ulka	Ulka	Ulka
ITA Pompa nmehp1 230/240v - 50hz - 21w 4,7bar - on/off 100% - portata 200cc min ingresso Ø 5mm uscita Ø 7mm	ITA Micropompa Ulka nme1 230v-50hz 16w 2,7 bar - on/off 100% . 215cc minuto	ITA Pompa nmehp1s 230/240v - 50hz - 27w 5,2bar - on/off 100% - portata 225cc min ingresso Ø 5mm uscita Ø 7mm
ENG Pump NMEHP1 230/240V - 50Hz - 21W 4.7bar - on/off 100% - capacity 200cc min Intake Ø 5mm Outlet Ø 7mm	ENG micropump Ulka nme1 230V-50Hz 16W 2.7 bar - on/off 100% . 215cc minute	ENG Pump NMEHP1S 230/240V - 50Hz - 27W 5.2bar - on/off 100% - capacity 225cc min Intake Ø 5mm Outlet Ø 7mm



Q125	Q130	Q130S
102001HF Ulka	Ulka	Ulka
ITA Micropompa Ulka elettro hf2 230v/50hz 18w 2,30 bar 100% on-off portata 600 cc/ min 102001hf	ITA Micropompa hf 230v -22w - 50hz on/off 2/1 con termoprotettore 2,2bar - on/off 100% - portata 680cc min	ITA Micropompa hf 230v 22w 50hz on/off 2/1 senza termoprotettore 2,2bar on/off 100% - portata 680cc min adattabile
ENG Micropump Ulka electro HF2 230V/50HZ 18W 2.30 bar 100% on-off 600 cc/min 102001HF	ENG Micropump HF 230V -22W - 50Hz on/off 2/1 with thermoprotector 2.2bar - on/off 100% - capacity 680cc min	ENG HF micropump 230V 22W 50Hz on/off 2/1 without thermal protector 2.2 bar on/off 100% – flow rate 680 cc/min adaptable



Q127
Ulka
ITA Pompa nme4 120v - 50hz - 16w 2,7bar - on/off 100% - portata 53cc min ingresso Ø 5mm uscita Ø 7mm
ENG Pump NME4 120V - 50Hz - 16W 2,7bar - on/off 100% - capacity 53cc min Intake Ø 5mm Outlet Ø 7mm



FILTERHAUS®

gli adattabili di Qualità...
the quality adaptable spare parts...



SCAN AND DISCOVER



Scopri gli articoli
Filterhaus® su...

Discover Filterhaus® products on...

WWW.MICROMIC.COM