



25

**VARIE
APPLICAZIONI
VARIOUS
APPLICATIONS**

Pompe
Pump



www.micromic.com

Pompe - Pumps



Q072

Ulka

ITA Pompa Ulka EK 220v - 50hz - 54w 16bar - 1/1 on-off - portata 700cc min

ENG Ulka Pump EK 220V - 50Hz - 54W 16bar - 1/1 on/off - flow 700cc min



Q223

Ulka

ITA Pompa Ulka EK2 230v - 50hz - 56w - 15.5bar - 1/1 on-off - portata 650cc min

ENG Ulka Pump EK2 230V - 50Hz - 56W - 15.5bar - 1/1 on/off - flow 650cc min



Q195

Ulka

ITA Pompa Ulka EP4R 230/240v - 50hz - 42w - 9 bar - on/off 1/1 min - portata 350 cc min

ENG Ulka Pump EP4R 230/240V - 50Hz - 42W - 9 bar - on/off 1/1 min capacity 350 cc min



Q217

10060036

Ulka

ITA Pompa Ulka EP4 230/240v - 50hz 48w 20bar 2/1 on-off portata 450cc min

ENG Ulka Pump EP4 230/240V - 50Hz 48W 20bar 2/1 on-off capacity 450cc min



Q219

10089027

Ulka

ITA Pompa Ulka EX4 230/240v - 50hz 48w 20bar 2/1 on-off portata 450cc min

ENG Ulka Pump EX4 230/240V - 50Hz 48W 20bar 2/1 on-off capacity 450cc min



Q232

10079944

Ulka

ITA Pompa Ulka EX4GW 230v - 50hz 48w 20bar 2/1 on-off portata 450cc min bobina ignifuga

ENG Ulka Pump EX4GW 230V - 50Hz 48W 20bar 2/1 on/off capacity 450cc min flameproof coil



Q072A

5132106900 - 481236018581

Ulka

ITA Pompa Ulka EP5 230/240v - 50hz 48w 15bar 2/1 on-off portata 650cc min

ENG Ulka Pump EP5 230/240V - 50Hz 48W 15bar 2/1 on/off flow 650cc



Q233S

5113211311 - 996530007753

Ulka

ITA Pompa Ulka EP5/S GW 230V-50hz 48w 15bar 2/1 on/off attacco svasato

ENG Ulka Pump EP5/S GW 230V - 50Hz 48W 15bar 2/1 on/off flared connector for automatic



Q245


421941305991

Ulka

ITA Pompa Ulka EP5FMGW 48W 230V 50Hz 15Bar attacco Ø1/8 svasato

ENG Ulka Pump EP5FMGW 48W 230V 50Hz 15Bar connection Ø1/8 flared

Pompe - Pumps



Q072B

098760red - 27003316 - 0110004041 - 10065957 - 4101370
Ulka

ITA Pompa Ulka EX5 230V - 50Hz 48w 15bar 2/1 on-off portata 650cc min

ENG Ulka Pump EX5 230V - 50Hz 48W 15bar 2/1 on/off flow 650cc min



Q072BS

Ulka

ITA Pompa Ulka EX5 48W 230V 50Hz 15Bar attacco Ø1/8 svasato

ENG Ulka Pump EX5 48W 230V 50Hz 15Bar connection Ø1/8 flared



Q233

10070223 - 10060486 - 257112 - 5113211311

Ulka

ITA Pompa Ulka EP5GW 230v - 50hz 48w 15bar 2/1 on-off portata 650cc min bobina ignifuga

ENG Ulka Pump EP5GW 230V - 50Hz 48W 15bar 2/1 on/off flow 650cc min flameproof coil



Q225

0V0465 - 098760 - 10065957 - 10063322 - 27003316 - 0110004041
Ulka

ITA Pompa Ulka EX5GW 230v - 50hz 48w 15bar 2/1 on-off portata 650cc min bobina ignifuga

ENG Ulka Pump EX5GW 230V - 50Hz 48W 15bar 2/1 on/off flow 650cc min flameproof coil



Q224

Ulka

ITA Pompa Ulka EAP5 64W 220V 60Hz 15Bar attacco Ø1/8

ENG Ulka Pump EAP5 64W 220V 60Hz 15Bar connection Ø1/8



Q235

Ulka

ITA Pompa Ulka EAX5 220v - 60hz - 64w - 15bar - on/off 1/2 min - portata 650cc min

ENG Ulka Pump EAX5 220V - 60Hz - 64W - 15bar - on/off 1/2 - flow 650cc min



Q303

59394 - 556806 - 5113212411 - SR.000.054.001 - SR000054001
A.R.S.

ITA Pompa A.R.S. CP3A/ST 230v 50hz - 65w - 15bar - 1/1 on-off

ENG A.R.S. Pump CP3A/ST 230V 50Hz - 65W - 15bar - 1/1 on-off



Q307

5113211631

A.R.S.

ITA Pompa A.R.S. CP4SP 230-240v 50hz - 70w - 14bar - 230v 1 min ON 1/5 min OFF - 240v 1 min ON 2 min OFF

ENG A.R.S. Pump CP4SP 230-240V 50Hz - 70W - 14bar - 230V 1 min ON 1/5 min OFF - 240V 1 min ON 2 min OFF



Q315

72113 - 0089577 - 0089668

Jura

ITA Pompa Sysko sap hp4 v03 220v 50/60hz 50w 230v 50/60hz 55w 240v 50hz 66w attacco rapido - Ø 6 mm temperatura acqua max 35°C terminale connettore 6,3x0,8 mm

ENG Sysko pump SAP HP4 V03 220V 50 / 60Hz 50W 230V 50 / 60Hz 55W 240V 50Hz 66W quick coupling - Ø 6 mm water temperature max 35 ° C connector terminal 6.3x0.8 mm

Pompe - Pumps



Q316

6765022 - 10769421 - 100182 - 10769420 - 74067
- 73679
Jura

ITA Pompa Sysko Spx H100 220/230V 50/60Hz
55W 50Hz 66W Temperatura acqua max
35°

ENG Sysko pump SPX H100 220/230V 50/60Hz
55W 50Hz 66W Max water temperature
35°



Q116

11012179

Ulka

ITA Pompa Ulka EP7 230v - 50hz 48w 7bar 2/1
on-off portata 1000cc min

ENG Ulka Pump EP7 230V - 50Hz 48W 7bar 2/1
on-off flow 1000cc min



Q100

Ulka

ITA Pompa Ulka EP77 230v - 50hz - 28w -
4bar - on/off 100% - portata 900cc min

ENG Ulka Pump EP77 230V - 50Hz - 28W -
4bar - on/off 100% - capacity 900cc min



Q221

Ulka

ITA Pompa Ulka EX7 230v - 50hz - 48w - 7bar
- 2/1 on-off - portata 1000cc min

ENG Ulka Pump EX7 230V - 50Hz - 48W - 7bar
- 2/1 on-off - flow 1000cc min



Q237

110004021

Ulka

ITA Pompa Ulka EX7GW - 230v 50hz 48w
7bar 2/1 on/off portata 1000cc min

ENG Ulka Pump EX7GW - 230V 50Hz 48W
7bar 2/1 on/off flow 1000cc min loading
AirBreak



Q115

099893

Ulka

ITA Pompa Ulka EP8 230/240v - 50hz 26w
2.5bar 100% on-off portata 1200cc min

ENG Ulka Pump EP8 230/240V - 50Hz 26W
2.5bar 100% on-off flow 1200cc min



Q240

099893

Ulka

ITA Pompa Ulka EP8GW 230/240v - 50hz 26w
2.5bar 100% on-off portata 1200cc min
bobina ignifuga

ENG Ulka Pump EP8GW 230/240V - 50Hz
26W 2.5bar 100% on-off flow 1200cc min
flameproof coil

Pompe - Pumps



Q226

Ulka

ITA Pompa Ulka EAP5 120v - 60hz - 52w - 20 bar - 1/1,5 on/off - portata 450cc min

ENG Ulka Pump EAP5 120V - 60Hz - 52W - 20bar - 1/1,5 on/off - capacity 450cc min



Q220

Ulka

ITA Pompa Ulka EAX5 120v - 60hz - 52w - 20bar - 1/1,5 on/off - portata 450cc min

ENG Ulka Pump EAX5 120V - 60Hz - 52W - 20bar - 1/1,5 on/off - capacity 450cc min



Q227

Ulka

ITA Pompa Ulka EFP5 52W 120V 60Hz 15Bar Ø1/8

ENG Ulka Pump EFP5 52W 120V 60Hz 15Bar Ø1/8



Q227B

Ulka

ITA Pompa Ulka EFX5 52W 120V 60Hz 15Bar attacco Ø1/8 in ottone

ENG Ulka Pump EFX5 52W 120V 60Hz 15Bar connection Ø1/8" in brass



Q215

Ulka

ITA Pompa Ulka EP8 120v - 60hz - 29w - 2,5bar - 100% on/off - portata 1200cc

ENG Ulka Pump EP8 120V - 60Hz - 29W - 2.5bar - 100% on/off - capacity 1200cc



Q236

Ulka

ITA Pompa Ulka EX4 24v - 50/60hz - 48w - 20bar - on/off 2/1 min - portata 450cc min

ENG Ulka Pump EX4 24V - 60Hz - 48W - 20bar - on/off 2/1 - flow 450cc min



Q099

9070.035.00P

Ulka

ITA Pompa Ulka EP5 24v - 50/60hz 48w 15bar 2/1 on-off portata 650cc min

ENG Ulka Pump EP5 24V - 50/60Hz 48W 15bar 2/1 on/off flow 650cc min



Q228

27003326 - 9070.035.00P

Ulka

ITA Pompa Ulka EX5 24v - 50/60hz 48w 15bar 2/1 on-off portata 650cc min

ENG Ulka Pump EX5 24V - 50/60Hz 48W 15bar 2/1 on-off flow 650cc min



Q241

Ulka

ITA Pompa Ulka EX5GW 24v - 50/60hz - 48w - 15bar - 2/1 on-off - portata 650cc min bobina ignifuga

ENG Ulka Pump EX5GW 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - flow 650cc min flame-proof coil

Pompe - Pumps



Q239

Ulka

ITA Pompa Ulka EX7 24v - 50/60hz - 48w - 7bar - 2/1 on/off - 1000cc min

ENG Ulka Pump EX7 24V - 50/60Hz - 48W - 7bar - 2/1 on/off - 1000cc min



Q304

Ceme

ITA Pompa ceme e507 ptg-g1/8f 24v 50hz 47w 5,9 bar 1667 cc/min

ENG Ceme Pump E507 PTC-G1/8F 24V 50Hz - 47W - 5.9bar - 1667 cc/min



Q302

C855117

Varie Marche

ITA Pompa immersione comet 12v dc- 0,5 bar 10 litri minuto cavetto 1 metro

ENG Comet submersible Pump 12V DC - 0,5 bar 10 Litres/min, 1 metre cable



Q305

27004016-01 - 0110004028

Varie Marche

ITA Pompa a immersione comet 24v - 10litri minuto, cavetto 1 metro

ENG Comet submersible Pump 24V - 10Litres/min, 1 metre cable



N223

149185850 - 801022 - 8.01.022

Universale

ITA Kit 2 supporti in gomma angolari per pompe

ENG Angular rubber support kit 2pcs for pumps



N222

Universale

ITA Kit 2 supporti in gomma dritti per pompe varie marche

ENG Linear rubber support kit 2pcs for pumps various brands




E201

Varie Marche

ITA Termoprotettore 110°C per pompe a vibrazione

ENG Thermoprotector 110° for vibration pumps

Pompe - Pumps



Q129

Ulka

ITA Micropompa nme5 230v - 50hz - 16w - on/off 100% - 1bar - portata 20>30cc min

ENG Micropump NME5 230V - 50Hz - 16W - on/off 100% - 1bar - capacity 20>30cc min




Q016

Varie Marche

ITA Micropompa vapore ceme 220v - 16w di Ø ingresso 5mm e uscita 7mm funzionante sotto diodo portata 40 - 50 cc elwatt

ENG Steam micropump CEME 220V - 16W intake and output diameter 7mm operating under diode capacity 40-50 cc Elwatt



Q135

Ulka

ITA Pompa Ulka nme4 230/240v - 50hz - 16w 2,7bar - on/off 100% - portata 53cc min ingresso Ø 5mm uscita Ø 7mm

ENG Ulka Pump NME4 230/240V - 50Hz - 16W 2.7bar - on/off 100% - capacity 53cc min Intake Ø 5mm Outlet Ø 7mm



Q015

Varie Marche

ITA Micropompa vapore ceme 230v - 19w di Ø ingresso e uscita 5mm portata 100/120 cc

ENG Steam micropump CEME 230V - 19W intake and output diameter 5mm capacity 100/120 cc



Q138

Ulka

ITA Pompa nme3s 230/240v - 50hz - 16w 3,5 bar - on/off 100% - portata 125cc min ingresso Ø 5mm uscita Ø 7mm

ENG Pump NME3S 230/240V - 50Hz - 16W 3.5bar - on/off 100% - capacity 125cc min Intake Ø 5mm Outlet Ø 7mm




Q134

5132100900

Ulka

ITA Pompa nme3 230/240v - 50hz 16w 2,7bar on/off 100%- portata 125cc min ingresso Ø 5mm uscita 7mm

ENG Pump NME3 230/240V - 50Hz 16W 2.7bar on/off 100% capacity 125cc min Intake Ø 5mm Outlet 7mm



Q128

Ulka

ITA Pompa nme2 230/240v - 50hz - 16w 2,7bar - on/off 100% - portata 175cc min ingresso Ø 5mm uscita Ø 7mm

ENG Pump NME2 230/240V - 50Hz - 16W 2.7bar - on/off 100% - capacity 175cc min Intake Ø 5mm Outlet Ø 7mm



Q136

Ulka

ITA Pompa nmels 230/240v - 50hz - 16w 3,5bar - on/off 100% - portata 200cc min ingresso Ø 5mm uscita filetto m10

ENG Pump NME1S 230/240V - 50Hz - 16W 3.5 bar - on/off 100% - capacity 200cc min Intake Ø 5mm Outlet Ø 7mm




Q137

Ulka

ITA Pompa nmels 230/240v - 50hz - 16w 3,5bar - on/off 100% - portata 200cc min ingresso Ø 5mm uscita Ø 5mm

ENG Pump NME1S 230/240V - 50Hz - 16W 3.5bar - on/off 100% - capacity 200cc min Intake Ø 5mm Outlet Ø 5mm

Pompe - Pumps



Q133

Ulka


ITA Pompa nmehp1 230/240v - 50hz - 21w
4,7bar - on/off 100% - portata 200cc min
ingresso Ø 5mm uscita Ø 7mm
ENG Pump NMEHP1 230/240V - 50Hz - 21W
4.7bar - on/off 100% - capacity 200cc min
Intake Ø 5mm Outlet Ø 7mm



Q131

Ulka

ITA Micropompa Ulka nme1 230v-50hz 16w 2,7
bar - on/off 100% . 215cc minuto
ENG micropump Ulka nme1 230V-50Hz 16W
2.7 bar - on/off 100% . 215cc minute



Q132

Ulka

ITA Pompa nmehp1s 230/240v - 50hz - 27w
5,2bar - on/off 100% - portata 225cc min
ingresso Ø 5mm uscita Ø 7mm
ENG Pump NMEHP1S 230/240V - 50Hz - 27W
5.2bar - on/off 100% - capacity 225cc min
Intake Ø 5mm Outlet Ø 7mm



Q125

102001HF

Ulka

ITA Micropompa Ulka elettro hf2 230v/50hz
18w 2,30 bar 100% on-off portata 600 cc/
min 102001hf
ENG Micropump Ulka electro HF2 230V/50HZ
18W 2,30 bar 100% on-off 600 cc/min
102001HF



Q130

Ulka

ITA Micropompa hf 230v -22w - 50hz on/off 2/1
con termoprotettore 2,2bar - on/off 100% -
portata 680cc min
ENG Micropump HF 230V -22W - 50Hz on/off
2/1 with thermoprotector 2,2bar - on/off
100% - capacity 680cc min



Q127

Ulka

ITA Pompa nme4 120v - 50hz - 16w 2,7bar -
on/off 100% - portata 53cc min ingresso Ø
5mm uscita Ø 7mm
ENG Pump NME4 120V - 50Hz - 16W 2,7bar -
on/off 100% - capacity 53cc min Intake Ø
5mm Outlet Ø 7mm



FILTERHAUS®

gli adattabili di Qualità...

the quality adaptable spare parts...



SCAN AND
DISCOVER



Scopri gli articoli Filterhaus® su...

Discover Filterhaus® products on...

WWW.MICROMIC.COM

