



32

**PARTI DI RICAMBIO
ORIGINALI
ORIGINAL
SPARE PARTS**

Spinel



www.micromic.com



SPNSR000010003

SR.000.010.003

Spinel

ITA Beccuccio cromato erogazione caffè L= 45,5 mm

ENG Chrome coffee dispensing spout L= 45,5 mm



SPNSR000010012

SR.000.010.012

Spinel

ITA Beccuccio cromato erogazione caffè L= 54mm

ENG Chrome coffee dispensing spout L= 54mm



SPNSR000033014

SR.000.033.014

Spinel

ITA Filtro per cialda 7gr Ø44mm

ENG Pod filter 7gr Ø44mm



SPNSR000063001

SR.000.063.001

Spinel

ITA Portacialda in acetalica inferiore 7gr

ENG Lower acetalic portacup 7gr



SPNSR000061046

SR.000.061.046

Spinel

ITA Piastra con portacialda integrato l=75

ENG Plate with integrated cup holder l=75



SPNSR000061038

SR.000.061.038

Spinel

ITA Piastra superiore in acetalica supporto biella

ENG Upper plate in acetalic connecting rod support



SPNSR000021000

SR.000.021.000

Spinel

ITA Cicler portacialda 7g

ENG Cicler pad filter 7g



SPNSR000032012

SR.000.032.012

Spinel

ITA Elettrovalvola 3 vie 240V 50Hz

ENG 3-way solenoid valve 240V 50Hz



SPNSR000047006

SR.000.047.006

Spinel

ITA Leva comando Inox Ø8x135mm Mozzo Ø12mm

ENG Stainless steel control lever Ø8x135mm Hub Ø12mm



SPNSR000041011

SR.000.041.011

Spinel

ITA Interruttore tondo bipolare on/off Ø23mm 10A 250V

ENG Round bipolar on/off switch Ø23mm 10A 250V



SPNSR000066005

SR.000.066.005

Spinel

ITA Pressostato TY98 1/4G 1.4BAR con faston orizzontali

ENG Pressure switch TY98 1/4G 1.4BAR with horizontal faston



SPNSR000098004

SR.000.098.004

Spinel

ITA Valvola antidepressione portagomma 1/4G in ottone

ENG Pressure relief valve with 1/4G hose connector in brass



SPNSR000060077

SR.000.060.077

Spinel

ITA Guarnizione O-ring 6212 53,34X5,34 mm Silicone Nero

ENG Silicone gasket Ø53.34x5.34mm



SPNSR000060043

SR.000.060.043

Spinel

ITA Guarnizione O-ring 112 9,92X2,62 mm Silicone Giallo

ENG Silicone gasket Ø9.92X2.62mm



SPNSR000060049

SR.000.060.049

Spinel

ITA Guarnizione O-ring 0430-40 43X4,00 mm Viton Nero

ENG Seal Ø43x4mm FKM



SPNSR000039009

SR.000.039.009

Spinel

ITA Guarnizione piana Ø37x29x5.5mm

ENG Flat gasket Ø37x29x5.5mm



SPNSR000039006

SR.000.039.006

Spinel

ITA Guarnizione piana Ø40x32x5mm

ENG Flat gasket Ø40x32x5mm



SPNSR000062004

SR.000.062.004

Spinel

ITA Piedino solo gomma Ø9mm

ENG Rubber foot only Ø9mm



SPNSR000069045

SR.000.069.045

Spinel

ITA Raccordo a L M1/4 Ø6mm con ogiva

ENG L-shaped fitting M1/4 Ø6mm with ferrule



SPNSR000069011

SR.000.069.011

Spinel

ITA Raccordo dritto 1/8F Ø6mm F

ENG Straight fitting 1/8F Ø6mm F



SPNSR000045004

SR.000.045.004

Spinel

ITA Tubo vapore Ø6mm attacco orizzontale

ENG Steam tube Ø6mm horizontal connection




SPNSRA03072005

SR.A03.072.005

Spinel

ITA Resistenza 12,5x80mm 230V 600W L=245mm

ENG Resistance 12.5x80mm 230V 600W L=245mm



SPNSRA07072002

SR.A07.072.002

Spinel

ITA Resistenza 12,5x100mm 230V 700W con prolunga L=300

ENG Resistance 12.5x100mm 230V 700W with extension L=300



SPNSRA01072021

SR.A01.072.021

Spinel

ITA Resistenza 9,5x76mm 230V 400W

ENG Resistance 9.5x76mm 230V 400W



SPNSRA01072011

SR.A01.072.011

Spinel

ITA Resistenza cablata scaldatazze 120x120mm 25W 220V

ENG Wired heating element for cup warmers 120x120mm 25W 220V



SPNSR000095001

SR.000.095.001

Spinel

ITA Termostato 98°C

ENG Thermostat 98°C