

05

Rheavendors



www.micromic.com

*Le informazioni contenute nel presente documento sono soggette a modifica e pertanto non sono vincolanti
*The information contained in this document is subject to change and is therefore not binding.

Rheavendors



VE110001058

Z011001058

Rheavendors

ITA Elettrovalvola ingresso acqua 24VDC con valvola di sicurezza

ENG 24VDC inlet Solenoid w/Bitron safety valve



VE110001086

0110001086 - Z0110001086

Rheavendors

ITA Elettrovalvola ingresso acqua 24V DC con valvola di sicurezza

ENG 24VDC water inlet Solenoid safety valve



VE110001109

Z0110001109

Rheavendors

ITA Elettrovalvola di sicurezza 2 vie 24 VDC

ENG 2 Way Safety Solenoid Valve 24 VDC

Rheavendors



VE110010074

110010074 - 110010020

Rheavendors

ITA Nucleo per gruppo elettrovalvola 3 vie (erogazione caffè) adattabile

ENG Solenoid valve core for 3- way group (coffee dispenser) adaptable



VE110001150R

Z0110001150R

Rheavendors

ITA Valvola bypass 8bar

ENG Bypass valve 8bar



VE110001151R

Z0110001151R

Rheavendors

ITA Valvola bypass 11bar

ENG Bypass valve 11bar



VE110001140

110001140

Rheavendors

ITA Elettrovalvola 2 vie 1/8 pps 24V DC NSF adattabile

ENG 2 way solenoid valve 1/8 PPS 24VDC NSF



VE110001108

110001108 - Z0110001108

Rheavendors

ITA Elettrovalvola a caduta 2 vie 24VDC

ENG 2 way drop solenoid valve 24VDC



VE110010132

Z00110010132 - 0110010132

Rheavendors

ITA Guarnizione a membrana in silicone trasparente per elettrovalvola adattabile

ENG Transparent silicone membrane gasket for solenoid valve adaptable



VE110007003

Z0110007003

Rheavendors

ITA Dosatore volumetrico Digmesa type 974-9502/b Ø 1,8

ENG Digmesa Volumetric doser type 974-9502/B Ø 1,8



VE109002002

Z0109002002

Rheavendors

ITA Filtro antipurità portagomma Ø 8mm

ENG Anti impurities Ø 8mm



VE10002012R

Z0110002012R

Rheavendors

ITA Valvola non ritorno 1/8 mf adattabile

ENG Check valve 1/8 MF adaptable



VE110010010

Z0110010010 - 00110010010

Rheavendors

ITA Guarnizione a membrana in silicone trasparente per elettrovalvola adattabile

ENG Transparent silicone membrane gasket for solenoid valve adaptable Rheavendors Z00110010132 - 0110010132



VE110010123

110010123

Rheavendors

ITA Canotto per gruppo elettrovalvola 2 vie (erogazione solubili) adattabile

ENG Solenoid sleeve valve for 2- way group (solubles dispenser) adaptable



VE110010060

Z0110010060 - Z0110010124

Rheavendors

ITA Nucleo per gruppo elettrovalvola 2 vie (erogazione solubili) adattabile

ENG Solenoid valve core for 2- way group (solubles dispenser) adaptable



VE600016089

0600016089 - 600016059

Rheavendors

ITA Supporto sonde adattabile

ENG Probe support adaptable




VE0000975

ELE0000975

Rheavendors

ITA Sonda rilevazione temperatura caldaia espresso

ENG Temperature detection probe for espresso boiler



VE0000958R1

ELE0000958R1

Rheavendors

ITA Sonda rilevazione temperatura caldaia solubili

ENG Temperature detection probe for boiler solubles

Rheavendors



VE0000963

ELE0000963R

Rheavendors

ITA Sonda rilevazione temperatura caldaia solubili

ENG Temperature detection probe for solubles boiler

VELE0000976

ELE0000976

Rheavendors

ITA Termostato unipolare con riarmo manuale 120° M4 adattabile

ENG Single-pole thermostat with manual reset 120° M4 adaptable



RH250008026

Z0250008026

Rheavendors

ITA Filtro superiore Ø 36mm assiemato

ENG Upper filter assembly Ø 36 mm

VE250008206R

Z0250008206R

Rheavendors

ITA Camera infusione Ø40mm filettata adattabile

ENG Threaded infusion chamber Ø40mm adaptable

VE250008099

Z0250008099

Rheavendors

ITA Doccia filtro inox Ø 33,5 mm adattabile

ENG Inox filter shower Ø 33,5 mm adaptable



VE250008211

Z0250008211

Rheavendors

ITA Doccia filtro inox Ø 37,5mm adattabile

ENG Inox filter disc Ø 37,5mm adaptable

VE80100101

Z0080100101 - Z0080100014

Rheavendors

ITA Guarnizione v-ring per albero motore in silicone grigio adattabile

ENG Grey silicone V-ring gasket for drive shaft solubles adaptable

VE80100102

Z080100101 - Z080100102

Rheavendors

ITA Guarnizione v-ring per albero motore in silicone grigio adattabile

ENG Grey silicone V-ring gasket for drive shaft solubles adaptable

Rheavendors



VE80100001R

Z0080100001R

Rheavendors

ITA Assieme motore mixer 24VDC completo adattabile

ENG Complete mixer motor 24VDC assembly adaptable

VE80100009

Z0080100009

Rheavendors

ITA Cuffia aggancio motore mixer adattabile

ENG Mixer motor coupling cap adaptable


VE320001559

Z00320001559

Rheavendors

ITA Coppia macine sx Ø esterno 64-20/56 denti

ENG Pair of left grinder 20/56 teeth, outer Ø 64



VE90006006

Z0090006006 - 090006006

Rheavendors

ITA Cinghia dentata 90x1031 adattabile

ENG Timing belt 90x1031 adaptable

VE90003040

0600016405R Z0090003040

Rheavendors

ITA Motore 24VDC albero Ø 4mm per pompa solubili

ENG Soluble pump motor 24VDC 4mm Ø shaft

VE600016405R

0600016405R

Rheavendors

ITA Pompa solubili completa 24VDC adattabile

ENG Soluble pump 24VDC adaptable



VE90003031

Z0090003031

Rheavendors

ITA Motore per pompa ad immersione 24V DCØ albero 6mm

ENG Submersible water pump motor 24VDC 6mm Ø shaft

VE90003023

Z0090003023 - 0090003023

Rheavendors

ITA Motore frullatore 24V DC albero Ø 4 mm 14000 RPM

ENG Blender motor 24VDC 4mm Ø shaft RPM

VE90003055

0090003055 - Z0090003055

Rheavendors

ITA Motofrullatore 24VDC albero Ø 4 mm 17000 RPM

ENG Blender motor 24VDC 17000 RPM shaft Ø 4 mm

Rheavendors



VE90002113

0090002113 - Z090002113900 - 0900002113R

Rheavendors

ITA Motoriduttore 24v dc 97RPM senza scheda

ENG 24V DC gear motor 97 RPM without control board

VE90002512

Z090002512 - 090002512

Rheavendors

ITA Motoriduttore 24VDC 11rpm senza scheda

ENG 24VDC 11rpm gear motor without board

VE0000465R

ELE0000465R

Rheavendors

ITA Ventilatore 24VDC 0,3a 3800 RPM adattabile

ENG Fan motor 24VDC 0,3A 3800 RPM adaptable



VE110010112

GUA0000087 - Z0110010112 - 0110010112

Rheavendors

ITA Guarnizione O-ring 2025 6,07X1,78 mm Silicone Rosso adattabile

ENG O-ring red silicone 2025 6,07 x 1,78 mm adaptable

VEGUA0000054

GUA0000054

Rheavendors

ITA Guarnizione O-ring 2018 4,47X1,78 mm Viton Nero adattabile

ENG Black Viton O-ring 2018 - 4,47x1,78 adaptable

VEGUA0000065

GUA0000065

Rheavendors

ITA Guarnizione O-ring 112 9,92X2,62 mm Silicone Rosso adattabile

ENG Red silicone O-ring 112 adaptable



VEGUA0000084

GUA0000084

Rheavendors

ITA Guarnizione O-ring 3131 32,99X2,62 mm Silicone Rosso adattabile

ENG Red silicone O-ring 3131 adaptable

VEGUA0000097

GUA0000097

Rheavendors

ITA Guarnizione o-ring 04131 32,93x3,53 silicone rosso adattabile

ENG O-ring seal 04131 32.93 x 3.53 red silicone, adaptable

VE20035036

Z0020035036

Rheavendors

ITA Tastiera 8 tasti

ENG Keyboard 8 key

Rheavendors



VETTEF0406T

9971.015 - TNAY000001 - TTEF04/06T

Rheavendors

ITA Tubo ptfе Ø 4x6 mm matassa 25 mt adattabile

ENG PTFE Tube 4x6 mm 25mt pack adaptable

VETSIL0406T

TSIL0406T

Rheavendors

ITA Tubo silicone trasparente 4x6mm matassa 50mt adattabile

ENG Transparent silicone hose 4x6mm 50m hank adaptable

VETSIL0408T

TSIL0408T

Rheavendors

ITA Tubo silicone trasparente 4x8mm matassa 50mt adattabile

ENG Transparent silicone hose 4x8mm 50m hank adaptable



VETSIL0508T

TSIL0508T

Rheavendors

ITA Tubo silicone trasparente 5x8mm matassa 50mt adattabile

ENG Transparent silicone hose 5x8mm 50m hank adaptable

VETSIL0609T

TSIL0609T

Rheavendors

ITA Tubo silicone trasparente 6x9mm matassa 50mt adattabile

ENG Transparent silicone hose 6x9mm 50m hank adaptable

VETSIL0610T

TSIL0610T

Rheavendors

ITA Tubo silicone trasparente 6x10mm matassa 50mt adattabile

ENG Transparent silicone hose 6x10mm 50m hank adaptable



VETSIL0611T

TSIL0611T

Rheavendors

ITA Tubo silicone trasparente 6x11mm matassa 50mt adattabile

ENG Transparent silicone hose 6x11mm 50m hank adaptable

VETSIL0711T

TSIL0711T

Rheavendors

ITA Tubo silicone trasparente 7x11mm matassa 50mt adattabile

ENG Transparent silicone hose 7x11mm 50m hank adaptable

VETSIL1014T

TSIL1014T

Rheavendors

ITA Tubo silicone trasparente 10x14mm matassa 50mt adattabile

ENG Transparent silicone hose 10x14mm 50m hank adaptable



VETSIL1420T

TSIL1420T

Rheavendors

ITA Tubo silicone trasparente 14x20mm matassa 50mt adattabile

ENG Transparent silicone hose 14x20mm 50m hank adaptable



VETSIL1519T

TSIL1519T

Rheavendors

ITA Tubo silicone trasparente 15x19mm matassa 50mt adattabile

ENG Transparent silicone hose 15x19mm 50m hank adaptable



VETSIL0609A

TSIL0609A

Rheavendors

ITA Tubo silicone arancione 6x9 matassa 30mt adattabile

ENG Orange silicon tube 6x9 30 mt hank adaptable



Q072B

098760red - 27003316 - 0110004041 - 10065957 - 4101370

Ulka

ITA Pompa Ulka EX5 230V - 50Hz 48W 15Bar 2/1 on-off portata 650cc min

ENG Ulka Pump EX5 230V - 50Hz 48W 15Bar 2/1 on/off flow 650cc min



Q237

110004021

Ulka

ITA Pompa Ulka EX7GW - 230V 50Hz 48W 7Bar 2/1 on/off portata 1000cc min

ENG Ulka Pump EX7GW - 230V 50Hz 48W 7Bar 2/1 on/off flow 1000cc min loading AirBreak



Q302

C855117

Varie Marche

ITA Pompa immersione Comet 12V DC - 0,5 bar 10 litri minuto cavetto 1 metro

ENG Comet submersible Pump 12V DC - 0,5 bar 10 Litres/min, 1 metre cable



Q305

27004016-01 - 0110004028

Varie Marche

ITA Pompa a immersione Comet 24V - 10litri minuto, cavetto 1 metro

ENG Comet submersible Pump 24V - 10Litres/min, 1 metre cable



VEELE0002009

ELE0002009

Rheavendors

ITA Interruttore saia sicurezza porta

ENG Door safety switch



VE61301011

61301011

Damian

ITA Motoriduttore 24V DC 24RPM

ENG Gearmotor 24V DC 24RPM

VEK0220

ITA Kit ricambi revisione gruppo caffè adattabile

ENG Spare parts kit for refurbish Rheavendors group

VE250008206R



VE250008211



VEGUA0000097



VEGUA0000065



VE250008206R		ITA Camera infusione Ø40mm filettata adattabile ENG Threaded infusion chamber Ø40mm adaptable	1 pc	
VE250008211		ITA Doccia filtro inox Ø 37,5mm adattabile ENG Inox filter disc Ø 37,5mm adaptable	1 pc	
VEGUA0000097		ITA Guarnizione o-ring 04131 32,93x3,53 silicone rosso adattabile ENG O-ring seal 04131 32.93 x 3.53 red silicone, adaptable	1 pc	
VEGUA0000065		ITA Guarnizione O-ring 112 9,92X2,62 mm Silicone Rosso adattabile ENG Red silicone O-ring 112 adaptable	1 pc	