



VARIE MARCHE

OTHER BRAND



VE21409



Dosatore volumetrico Digma type 974-9521-B Ø 1,2mm Mitaca codice 30900080

Digma Volumetric doser unit series 974-9521-B Ø 1,2mm Mitaca code 30900080



VE9852760003



Ventilatore 230V-50Hz 18W 120mA 119x119x38mm adatto per Sielaff codice originale 985.27.600.03

Fan 230V-50Hz 18W 120mA 119x119x38mm adaptable Sielaff code 985.27.600.03



Q205



Raccordo con valvola autoadescante attacchi 1/8 M/F adattabile Mitaca codice 12654 - varie marche

1/8 M/F self-priming pump connector adaptable Mitaca code 12654 - various brands



E201



Termoprotettore 100°C per pompe a vibrazione adattabile varie marche

Thermoprotector 100° for vibration pumps adaptable for various brands



N222



Kit 2 supporti in gomma dritti per pompe adattabile varie marche

Linear rubber support kit 2pcs for pumps adaptable various brands



N223



Kit 2 supporti in gomma angolari per pompe adattabile varie marche

Angular rubber support kit 2pcs for pumps adaptable various brands

VARIE MARCHE - OTHER BRANDS



VE252658

CLICCA QUI
CLICK HERE

 Tubo Ptfе 3x6mm al metro adattabile Necta codice 251263

 Ptfе tube 3x6mm per meter adaptable Necta code 251263



N162

CLICCA QUI
CLICK HERE

 Tubo PTFE Ø 4x6 mm - 100 cm con 5 boccole 5 Rinforzi - adattabile Varie marche

 PTFE Tube Ø 4x6 mm - 100 cm with 5 bushes 5 reinforcements adaptable various brands



N162S

CLICCA QUI
CLICK HERE

 Tubo PTFE Ø 4x6 mm matassa da 25 mt adattabile varie marche

 PTFE Tube 4x6 mm 25mt pack adaptable various brands



N162A

CLICCA QUI
CLICK HERE

 Boccola interna di rinforzo per tubo ptfе Ø interno 4 mm adattabile varie marche

 Inner reinforcement bushing for ptfе tube Ø internal 4 mm interior size adaptable Saeco code 9991.009 and various brands



N162B

CLICCA QUI
CLICK HERE

 Boccola esterna Ogiva per tubo ptfе Ø esterno 6 mm adattabile varie marche

 Outer external bushing for ptfе tube Ø 6 mm interior size adaptable various brands



VE4KMX027



Ventolino nero corpo mix Ø31mm foro Ø6mm Melitta 4KMX027
- 000966517000



Black fan body mix Ø31mm hole Ø6mm Melitta 4KMX027 -
000966517000

VARIE MARCHE - OTHER BRANDS



VE97529



 Tubo in silicone marrone 3x6mm matassa da 30mt adattabile varie marche

 Brown silicone tube 3x6mm 30mt hank various brands



VE97510



 Tubo in silicone marrone 5x9mm matassa da 30mt varie marche

 Brown silicone tube 5x9mm 30mt hank various brands



VE97511



 Tubo in silicone marrone 6x9mm matassa da 30mt varie marche

 Brown silicone tube 6x9mm 30mt hank various brands



VE97512



 Tubo in silicone marrone 6x12mm matassa da 30mt varie marche

 Brown silicone tube 6x12mm 30mt hank various brands



VE97685



 Tubo in silicone marrone 7,5x12mm matassa da 30mt varie marche

 Brown silicone tube 7,5x12mm 30mt hank various brands



VE97515



 Tubo in silicone marrone 10x16mm matassa da 30mt varie marche

 Brown silicone tube 10x16mm 30mt hank various brands

VARIE MARCHE - OTHER BRANDS



VE254566



Tubo in silicone blu 3x6mm matassa da 30mt varie marche

Blue silicone tube 3x6mm 30mt hank various brands



VE254565



Tubo in silicone blu 5x9mm matassa da 30mt varie marche

Blue silicone tube 5x9mm 30mt hank various brands



VE97529TR



Tubo silicone trasparente 3x6mm matassa 30mt

Transparent silicone tube 3x6mm skein 30mt



VE97511TR



Tubo in silicone trasparente 6x9mm matassa da 30mt 097511 10062889

Transparent silicone hose 6x9mm coil of 30mt 097511 10062889



VETSIL0609A



Tubo silicone arancione 6x9 matassa 30mt varie marche

Orange silicon tube 6x9 30 mt hank hank various brands

VARIE MARCHE - OTHER BRANDS



VETSIL1014T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 10x14mm matassa 50mt adattabile Rheavendors TSIL1014T

 Transparent silicone hose 10x14mm 50m hank adaptable Rheavendors TSIL1014T



VETSIL1420T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 14x20mm matassa 50mt adattabile Rheavendors TSIL1420T

 Transparent silicone hose 14x20mm 50m hank adaptable Rheavendors TSIL1420T



VETSIL1519T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 15x19mm matassa 50mt adattabile Rheavendors TSIL1519T

 Transparent silicone hose 15x19mm 50m hank adaptable Rheavendors TSIL1519T



VETSIL0406T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 4x6mm matassa 50mt adattabile Rheavendors TSIL0406T

 Transparent silicone hose 4x6mm 50m hank adaptable Rheavendors TSIL0406T



VETSIL0408T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 4x8mm matassa 50mt adattabile Rheavendors TSIL0408T

 Transparent silicone hose 4x8mm 50m hank adaptable Rheavendors TSIL0408T



VETSIL0508T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 5x8mm matassa 50mt adattabile Rheavendors TSIL0508T

 Transparent silicone hose 5x8mm 50m hank adaptable Rheavendors TSIL0508T

VARIE MARCHE - OTHER BRANDS



VETSIL0611T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 6x11mm matassa 50mt adattabile Rheavendors TSIL0611T

 Transparent silicone hose 6x11mm 50m hank adaptable Rheavendors TSIL0611T



VETSIL0609T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 6x9mm matassa 50mt adattabile Rheavendors TSIL0609T

 Transparent silicone hose 6x9mm 50m hank adaptable Rheavendors TSIL0609T



VETSIL0610T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 6x10mm matassa 50mt adattabile - Rheavendors TSIL0610T

 Transparent silicone hose 6x10mm 50m hank adaptable - Rheavendors TSIL0610T



VETSIL0711T

CLICCA QUI
CLICK HERE

 Tubo silicone trasparente 7x11mm matassa 50mt adattabile Rheavendors TSIL0711T

 Transparent silicone hose 7x11mm 50m hank adaptable Rheavendors TSIL0711T

VARIE MARCHE - OTHER BRANDS



VE506

 Tubo in silicone trasparente 6x8mm matassa da 30mt varie marche

 Transparent silicone tube 6 x 8 mm 30mt hank various brands

CLICCA QUI
CLICK HERE



VE507

 Tubo in silicone trasparente 5x9mm matassa da 30mt varie marche

 Transparent silicone tube 5 x 9 mm 30mt hank various brands

CLICCA QUI
CLICK HERE



VE508

 Tubo in silicone trasparente 5x8mm matassa da 30mt varie marche

 Transparent silicone tube 5 x 8 mm 30mt hank various brands

CLICCA QUI
CLICK HERE



L250

 Fascetta oetiker ø 9.5mm per macchina da caffè adattabile 996530007742 - 996530007947 - 12000096 - 16700004

 Oetiker clamp ø 9.5mm for adaptable coffee machine 996530007742 - 996530007947 - 12000096 - 16700004

CLICCA QUI
CLICK HERE




L240

 Fascetta stringitubo a molla Ø7mm Ø7,5mm

 Spring hose clamp Ø7mm Ø7.5mm

CLICCA QUI
CLICK HERE




VE6050

CLICCA QUI
CLICK HERE

 Tubo carico acqua lunghezza 500mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione

 Water inlet hose length 500mm inner epdm body external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food , gasket not included




VE6100

CLICCA QUI
CLICK HERE

 Tubo carico acqua lunghezza 1000mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione

 Water inlet hose length 1000mm inner epdm body external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food, gasket not included




VE6150

CLICCA QUI
CLICK HERE

 Tubo carico acqua lunghezza 1500mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione

 Water inlet hose length 1500mm inner epdm external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food, gasket not included



VE6200

CLICCA QUI
CLICK HERE

 Tubo carico acqua lunghezza 2000mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione

 Water inlet hose length 2000mm inner epdm external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food, gasket not included




VE662

CLICCA QUI
CLICK HERE

 Guarnizione 3/8 per tubi inox carico acqua

 3/8 gasket for stainless steel water hose


VARIE MARCHE - OTHER BRANDS



VE6100C

[CLICCA QUI
CLICK HERE](#)


- Tubo carico acqua lunghezza 1000mm interno epdm esterno trecciato inox Aisi 304 attacchi 3/8 F dritto 3/4F curvo idonei al contatto con alimenti, senza guarnizione
- Water inlet hose length 1000mm inner epdm external braided stainless steel Aisi 304 3/8 F 3/4F connections suitable for contact with food, gasket not included



VE6150C

[CLICCA QUI
CLICK HERE](#)


- Tubo carico acqua lunghezza 1500mm interno epdm esterno trecciato inox Aisi 304 attacchi 3/8 F dritto 3/4F curvo idonei al contatto con alimenti, senza guarnizione
- Water inlet hose length 1500mm inner epdm external braided stainless steel Aisi 304 3/8 F 3/4F connections suitable for contact with food, gasket not included



VE6200C

[CLICCA QUI
CLICK HERE](#)

- Tubo carico acqua lunghezza 2000mm interno epdm esterno trecciato inox Aisi 304 attacchi 3/8 F dritto 3/4F curvo idonei al contatto con alimenti, senza guarnizione
- Water inlet hose length 2000mm inner epdm external braided stainless steel Aisi 304 3/8 F 3/4F connections suitable for contact with food, gasket not included



VE6050C

[CLICCA QUI
CLICK HERE](#)

- Tubo carico acqua lunghezza 500mm interno epdm esterno trecciato inox aisi 304 attacchi 3/8 f dritto 3/4f curvo idonei al contatto con alimenti, senza guarnizione Universale
- Water loading tube length 500mm internal EPDM external braided stainless steel AISI 304 connections 3/8 f straight 3/4f curved suitable for contact with food, without gasket Universale



VE662C

[CLICCA QUI
CLICK HERE](#)

- Guarnizione 3/4 per tubi flessibili inox carico acqua
- 3/4 gasket for stainless steel water hose

VARIE MARCHE - OTHER BRANDS



VE663

Tappo esagonale femmina 3/4" per chiusura collettori

Exagonal cap 3/4" female hex head manifolds

[CLICCA QUI
CLICK HERE](#)



VE664

Tappo esagonale femmina 3/8" per chiusura collettori

Exagonal cap 3/8" female hex head manifolds

[CLICCA QUI
CLICK HERE](#)



WK128

Water block adattabile Necta 0V2961

Water block adaptable Necta 0V2961

[CLICCA QUI
CLICK HERE](#)



WK129

Azzeratore per Water block 100041

Resetter for Water block 100041

[CLICCA QUI
CLICK HERE](#)



VEB5232

Addolcitore a cartuccia Bilt B5232 - B5232/10

Cartridge water softener Bilt B5232 - B5232/10

[CLICCA QUI
CLICK HERE](#)



N195

Raccordo aspirazione angolare portagomma per pompe Ulka adattabile varie marche

Tube holder fitting for Ulka pump adaptable various brands

[CLICCA QUI
CLICK HERE](#)

VARIE MARCHE - OTHER BRANDS



M059



 Cavo alimentazione 2 mt 3x0,75 mm spina schuko connettore 3 faston adattabile varie marche

 Power cable 2 m 3x0.75mm w/schuko plug connector 3 faston adaptable various brands



VE23014916



 Fusibile 10amp in ceramica 23014916

 10amp ceramic fuse 23014916



VE500294



 Guarnizione o ring 2118 29,87x1,78mm Silicone rosso adattabile Sgl 500294 - 10079729

 O ring gasket 2118 29.87x1.78mm Red silicone adaptable Sgl 500294 - 10079729

VARIE MARCHE - OTHER BRANDS



Q072



Pompa Ulka EK 230/240V - 50Hz - 54W 16bar - 1/1 on-off - portata 700cc min

Ulka Pump EK 230/240V - 50Hz - 54W 16bar - 1/1 on/off - flow 700cc min



Q223



Pompa Ulka EK2 230V - 50Hz - 56W - 15.5bar - 1/1 on-off - portata 650cc min

Ulka Pump EK2 230V - 50Hz - 56W - 15.5bar - 1/1 on/off - flow 650cc min



Q072A



Pompa Ulka EP5 230/240V - 50Hz - 48W 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EP5 230/240V - 50Hz - 48W 15bar - 2/1 on/off - flow 650cc



Q233



Pompa Ulka EP5GW 230V - 50Hz - 48W - 15bar - 2/1 on-off - portata 650cc min Bobina Ignifuga

Ulka Pump EP5GW 230V - 50Hz - 48W - 15bar - 2/1 on/off - flow 650cc min flameproof coil



Q115



Pompa Ulka EP8 230/240V - 50Hz - 26W 2.5bar - 100% on-off - portata 1200cc min

Ulka Pump EP8 230/240V - 50Hz - 26W 2.5bar - 100% on-off - flow 1200cc min



Q240



Pompa Ulka EP8GW 230/240V - 50Hz - 26W - 2.5bar - 100% on-off - portata 1200cc min bobina ignifuga

Ulka Pump EP8GW 230/240V - 50Hz - 26W - 2.5bar - 100% on-off - flow 1200cc min flameproof coil

VARIE MARCHE - OTHER BRANDS



Q072B

CLICCA QUI
CLICK HERE

Pompa Ulka EX5 230/240V - 50Hz - 48W 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EX5 230/240V - 50Hz - 48W 15bar - 2/1 on/off - flow 650cc min



Q225

CLICCA QUI
CLICK HERE

Pompa Ulka EX5GW 230V - 50Hz - 48W - 15bar - 2/1 on-off - portata 650cc min Bobina Ignifuga

Ulka Pump EX5GW 230V - 50Hz - 48W - 15bar - 2/1 on/off - flow 650cc min flameproof coil




Q235

CLICCA QUI
CLICK HERE

Pompa Ulka EAX5 220V - 60Hz - 64W - 15bar - on/off 1/2 min - portata 650cc min

Ulka Pump EAX5 220V - 60Hz - 64W - 15bar - on/off 1/2 - flow 650cc min



Q217

CLICCA QUI
CLICK HERE

Pompa Ulka EP4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - portata 450cc min

Ulka Pump EP4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - flow 450cc min



Q219

Pompa Ulka EX4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - portata 450cc min

Ulka Pump EX4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - flow 450cc min

CLICCA QUI
CLICK HERE



Q232

Pompa Ulka EX4GW 230V - 50Hz - 48W - 20bar - 2/1 on-off - portata 450cc min Bobina Ignifuga

Ulka Pump EX4GW 230V - 50Hz - 48W - 20bar - 2/1 on/off - flow 450cc min flameproof coil

CLICCA QUI
CLICK HERE



Q228

Pompa Ulka EX5 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EX5 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - flow 650cc min

CLICCA QUI
CLICK HERE



Q099

Pompa Ulka EP5 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EP5 24V - 50/60Hz - 48W - 15bar - 2/1 on/off - flow 650cc min

CLICCA QUI
CLICK HERE



Q116

Pompa Ulka EP7 230V - 50Hz - 48W 7bar - 2/1 on-off - portata 1000cc min

Ulka Pump EP7 230V - 50Hz - 48W 7bar - 2/1 on-off - flow 1000cc min

CLICCA QUI
CLICK HERE



Q241

Pompa Ulka EX5GW 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - portata 650cc min Bobina Ignifuga

Ulka Pump EX5GW 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - flow 650cc min flameproof coil

CLICCA QUI
CLICK HERE

VARIE MARCHE - OTHER BRANDS



Q237

CLICCA QUI
CLICK HERE

Pompa Ulka EX7GW - 230V - 50Hz - 48W - 7bar - 2/1 on/off - portata 1000cc min

Ulka Pump EX7GW - 230V - 50Hz - 48W - 7bar - 2/1 on/off - flow 1000cc min loading AirBreak



Q236

CLICCA QUI
CLICK HERE

Pompa Ulka EX4 24V - 50/60Hz - 48W - 20bar - on/off 2/1 min - portata 450cc min adattabile varie marche

Ulka Pump EX4 24V - 60Hz - 48W - 20bar - on/off 2/1 - flow 450cc min adaptable various brands



Q221

CLICCA QUI
CLICK HERE

Pompa Ulka EX7 230V - 50Hz - 48W - 7bar - 2/1 on-off - portata 1000cc min adattabile varie marche

Ulka Pump EX7 230V - 50Hz - 48W - 7bar - 2/1 on-off - flow 1000cc min adaptable various brands



Q239

CLICCA QUI
CLICK HERE

Pompa Ulka EX7 24V - 50/60Hz - 48W - 7bar - 2/1 on/off - 1000cc min

Ulka Pump EX7 24V - 50/60Hz - 48W - 7bar - 2/1 on/off - 1000cc min



Q316

CLICCA QUI
CLICK HERE

Pompa Sysko Spx H100 220/230V 50/60Hz 55W 50Hz 66W Temperatura acqua max 35° adattabile Jura 6765022 - 10769421 - 100182 - 10769420 - 74067 - 73679

Sysko Spx H100 pump 220/230V 50/60Hz 55W 50Hz 66W Max water temperature 35° adaptable Jura 6765022 - 10769421 - 100182 - 10769420 - 74067 - 73679

VARIE MARCHE - OTHER BRANDS



Q303

Pompa A.R.S. CP3A/ST 230V 50Hz - 65W - 15bar - 1/1 on-off adattabile varie marche

A.R.S. Pump CP3A/ST 230V 50Hz - 65W - 15bar - 1/1 on-off adaptable various brand

CLICCA QUI
CLICK HERE



Q307

Pompa A.R.S. CP4SP 230-240V 50Hz - 70W - 14bar - 230V 1 min ON 1/5 min OFF - 240V 1 min ON 2 min OFF adattabile varie marche

A.R.S. Pump CP4SP 230-240V 50Hz - 70W - 14bar - 230V 1 min ON 1/5 min OFF - 240V 1 min ON 2 min OFF adaptable various brand

CLICCA QUI
CLICK HERE



Q304

Pompa Ceme E507 PTG-G1/8F 24V 50Hz 47W 5,9 Bar 1667 cc/min

Ceme Pump E507 PTG-G1/8F 24V 50Hz - 47W - 5.9bar - 1667 cc/min

CLICCA QUI
CLICK HERE



Q305

Pompa a immersione Comet 24V - 10Litri minuto, cavetto 1 metro varie marche

Comet submersible Pump 24V - 10Litres/min, 1 metre cable various brands

CLICCA QUI
CLICK HERE



Q302

Pompa immersione Comet 12V - 10 Litri minuto cavetto 1 metro

Comet submersible Pump 12V - 10 Litres/min, 1 metre cable

CLICCA QUI
CLICK HERE